

What are we DOIng about Dynamic Data at Ocean Networks Canada?

Portage Network Webinar 2020-11-17

Ocean Networks Canada, ROR: 05qknh003

University of Victoria, ROR: 04s5mat29

Presenters:

- Reyna Jenkyns, ORCID: 0000-0001-6975-6816
- Melissa Cuthill, ORCID: 0000-0002-3987-865X
- Chantel Ridsdale, ORCID: 0000-0001-7218-1232

A UNIVERSITY OF VICTORIA INITIATIVE

Ocean Networks Canada




- ONC data are very **dynamic** due to continually accumulating data streams, data reprocessing and data product code versioning
- Highly **heterogeneous** – fixed and mobile platforms, instrument types, data formats and processing levels, real-time vs autonomous

Setting the Stage



R13: Data Discovery and Identification - The repository enables users to discover the data and refer to them in a persistent way through proper citation.



COPDESS (Coalition for Publishing Data in the Earth and Space Sciences) - [Commitment Statement](#) includes an emphasis on data citation. ONC is a [signatory](#).



2018 - Research Data Management funding program introduced following community consultation with an emphasis on FAIR. 9 projects awarded funding (\$3.2M total)



MINTED = Making Identifiers Necessary for Tracking Evolving Data

RDA Data Citations WG Guidelines

Research Data Alliance:

- over 10,000 members from 145 countries
- a neutral space for members to develop & adopt infrastructure that promotes data-sharing & data-driven research



RDA Data Citations WG Guidelines: Rauber, A., et al, [Identification of Reproducible Subsets for Data Citation, Sharing and Re-Use](#) (2016)


- **Abstract Excerpt:** Research **data is changing over time** as new records are added, errors are corrected and obsolete records are deleted from a data set. Scholars rarely use an entire data set or stream data as it is, but rather select **specific subsets** tailored to their research questions. In order to keep such experiments reproducible and to share and cite the particular data used in a study, researchers need means of **identifying the exact version of a subset as it was used** during a specific execution of a workflow, even if the data source is continuously evolving. ..we present **14 recommendations** on how to adapt a data source for providing identifiable subsets for the long term, elaborated by the RDA Working Group on Dynamic Data Citation (WGDC). The proposed solution is based upon **versioned data, timestamping and a query based subsetting** mechanism.
- R1 - Data Versioning, R2 - Timestamping, R3 - Query Store Facilities, R4 - Query Uniqueness, R5 - Stable Sorting, R6 - Result Set Verification, R7 - Query Timestamping, R8 - Query PID, R9 - Store the Query, R10 - Automated CitationTexts, R11 - Landing Page, R12 - Machine Actionability, R13 - Technology Migration, R14 - Migration Verification



The FAIR Principles

Guidelines for data publishers to improve data **discovery** and **reuse**


- Wilkinson, M. D. et al. (2016). The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data*, 3, 160018. doi:10.1038/sdata.2016.18



Research Organization Registry



- Persistent identifiers for research organizations
- Launched in January 2019
- ~99,000 organizations as of November 2020



Welcome to the Research Organization Registry Community

ROR is a community-led project to develop an open, sustainable, usable, and unique identifier for every research organization in the world.

Why ROR?

The scholarly research community depends on a series of open identifier and metadata infrastructure systems to great success. Content identifiers and contributor identifiers are foundational infrastructure for the community. But there is one piece of the infrastructure that is missing – there currently is no open, stakeholder-governed infrastructure for research organization identifiers and their associated metadata.

[Learn more](#)

TRUST Principles

<https://www.nature.com/articles/s41597-020-0486-7.pdf>



Transparency	To be transparent about specific repository services and data holdings that are verifiable by publicly accessible evidence.
Responsibility	To be responsible for ensuring the authenticity and integrity of data holdings and for the reliability and persistence of its service.
User Focus	To ensure that the data management norms and expectations of target user communities are met.
Sustainability	To sustain services and preserve data holdings for the long-term.
Technology	To provide infrastructure and capabilities to support secure, persistent, and reliable services.


“.. to make data **FAIR** whilst preserving them over time requires **trustworthy digital repositories** (TDRs) with **sustainable governance** and **organizational frameworks**, **reliable infrastructure**, and **comprehensive policies supporting community-agreed practices**. TDRs, with their clear remit to actively **preserve data** in response to changes in both technology and stakeholder requirements, play an important role in **maintaining the value of data**. They are held in a position of trust by their users as they **accept the responsibilities of data stewardship**.”

Lin, D., Crabtree, J., Dillo, I., Jenkyns, R., *et al.* The TRUST Principles for digital repositories. *Sci Data* 7, 144 (2020).
<https://doi.org/10.1038/s41597-020-0486-7>

MINTED

- Implement **dynamic data citations**, applying 14 recommendations from RDA Data Citations WG output which covers versioning, query store, resolver landing page, technology migration resilience
- Improve **provenance, versioning, and ISO 19115 metadata records** as they relate to data citation framework
- Utilize **DataCite** services for registering datasets
- Introduce RORs for organizational dataset contributors and user accounts, leveraging ROR frameworks and advice
- Deliver citation text provision service and a citation resolver services to **National Data Services Framework**
- **Design challenge** given the permanent nature of DOIs – important decisions for **dataset granularity** and **sustainable architecture**
- **Cultural challenge** with agile and innovative culture

System Architecture



System architecture description: The ONC Oceans 2.0 system (in blue), and third party sources and applications (in orange). Dotted lines indicate aspects that need to be added, while all ONC components would be modified. The ONC components can be directly controlled via the project, with expected modifications to include a new data model and tables within the database, additional web services, integration of third party APIs, and data citation features.

Data Granularity

- Challenges in dataset granularity **boundary** decisions
 - By time?
 - By geography?
 - By instrument type?
 - By platform?
 - By data product level?
- **Constraints** to consider from DataCite metadata kernel, RDA guidelines, suitability to ONC data architecture, data partner attributions, end-users
- **RDA Data Granularity WG**
 - compatible community conventions are important for interoperability networks of repositories, but many diverse existing approaches and terminology interpretations; granularity decisions also impact discovery, access, citations and more.
 - BoF at RDA Plenary 16, case statement to be submitted soon

What is a dataset at ONC?

1 Dataset = 1 Deployment of 1 Device

i.e. Device A at Site B, from Date X to Date Y



From this...



...to this.

How and when to initially mint a dataset?

QUESTIONS:

- How soon after an instrument is deployed and data is streaming in data?
- How to automate ensuring all required metadata is in database and deemed correct?
- Manual or automated integration into our instrument workflows?
- Wait until a query exists in the query store?
- Mass or batch minting of existing datasets in repository?
- Data steward peer reviews and quality assessments are complete?

DECISION – Daily scheduled job created to regularly check if there is a new deployment for any devices and register DOI if all "minimum" metadata is populated

- minimum is a combination of DataCite requirements plus fields determined necessary at ONC, changes will be accounted through versioning.

DataCite DOI Minting - Automation

Scheduler

Status: STOPPED

Start

Stop

Restart

Clear Queue

339. Cast Data (3) Correction Ma

340. Cast Data (4) Ingestion Post

366. CKAN-Metadata-Upload-Job

131. Coastbuster-Email-NOAA-job

130. Coastbuster-Flickr-job

234. Compression task for hydrog

85. COVIS Matlab postprocess

123. COVIS Matlab postprocess

84. COVIS Matlab postprocess

74. daily sweep

167. dataprodukt-upload

15. Device Action Notification

261. DFO Drifters File Archiver

262. DFO Drifters Post-Process

260. DFO Drifters Script

186. dmasraw-generator

337. DOI-Registration-job-sitedev

171. Email Job

Task Monitor Task Definition

Task Status

☒ Queued
☒ Running
☒ Cancelling
☒ Completed
☒ Cancelled
☒ Aborted with Errors
☒ Completed with Errors

Refresh

☐	Task Id	Status	Task Id	Host Name	Task Type	Reference Name	Date Started	Date Completed	Error	More
☐	425	Completed	425	dctsk06.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices	08-May-2020 00:01:43	08-May-2020 00:01:47		more...
☐	424	Completed	424	dctsk05.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices	07-May-2020 23:54:12	07-May-2020 23:54:18		more...
☐	423	Completed	423	dctsk01.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices	07-May-2020 23:44:37	07-May-2020 23:44:42		more...
☐	422	Completed	422	dctsk02.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices				
☐	421	Completed	421	dctsk03.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices				
☐	420	Completed	420	dctsk04.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices				
☐	419	Completed	419	dctsk06.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices				
☐	418	Completed	418	dctsk05.dc.neptune	Scheduled Job	DOI-Registration-job-sitedevices				
☐					Scheduled Job	DOI-Registration-job-sitedevices				

Task Monitor Task Definition

Task Definition

Task Definition 337

Name DOI-Registration-job-sitedevices

Description This job will generate a DOI for the specified site device ids. If a DOI exists for a site device then that DOI will be deprecated. Note that the date and deviceTypelds

Task Type DOIRegistrationJob

Run Now

Saved results are purged two weeks after the run.

Task Definition Parameters

Key dataciteEnv

Value PROD

Key date

Value

Key deviceTypelds

Value 2,3,5,6,7,8,9,10,11,12,13,14,16,17,18,19,22,23,25,26, 27,30,31,33,35,37,38,40,41,42,44

Key onlyMetadata

Value false

Key siteDeviceIds

Value

Reserved Names: sourceFileNames, image.base, image.name, command, shareable, userid

Add

Task Schedule

Id	Task Definition Id	Second	Minute	Hour	Day of Month	Month	Enabled
452	337	0	0	0	*	*	☒

Save

Delete

Clear

Define Job parameters
Schedule Job
Monitor Job Execution

Automatically detects and mints
DOIs for new occurrences of
datasets with sufficient metadata:
data files archived, position coordinates, data
products assigned, station metadata defined,
organizational metadata defined

Automated Abstract Deconstructed

Construction: The **DeviceName** was deployed on **SiteDeviceDateFrom** at/on **SearchTreeNodeName**. **SearchTreeNodeDescription**. This device is a **DeviceCategoryName**. **DeviceCategoryDescription**. It was deployed on a **Fixed/Mobile/Profiling** platform. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

Example: The **WET Labs ECO FLNTUS 4670** was deployed on **2019-05-16** at **Upper Slope**. **Upper Slope** is a location within **Barkley Canyon**, which is located on the upper **continental slope**. This device is a **Fluorometer Turbidity**. **Fluorometer Turbidity** instruments measure chlorophyll fluorescence and turbidity within the same volume of seawater. The instrument uses a light emitting diode (LED) to provide an excitation source. The fluoresced light is received by a detector at a particular angle from the LED source, and uses an interference filter to discriminate against scattered excitation light. Turbidity is measured at the same time, by detecting scattered light from a LED, which is positioned at the same angle as the chlorophyll fluorescence. It was deployed on a **fixed platform**. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

Data Stewardship Verification - Device Workflows

Device Id: 13112 Device Name: Sea-Bird Microcat SBE37SIP 5687

General Sensor Ip Electrical Rating Data Rating Nameplate Port Physical Characteristics Device

JB/SIIM VLANS - verify	Systems	Incomplete
Instrument - deploy	Marine Operations	Incomplete

Serial Device Commissioning

Task	Area of Responsibility	Status	Comment
Data Access - enable	Data Stewardship	Complete	
Topology - verify	Data Stewardship	Incomplete	
Site - update	Data Stewardship	Incomplete	
Data Access - searchtree node	Data Stewardship	Incomplete	
Device Actions - update	Data Stewardship	Incomplete	
Orientation - update	Data Stewardship	Not Required	
Extensions - verify	Data Stewardship	Incomplete	
Power - on	Systems	Incomplete	
Communications - verify	Systems	Incomplete	
Driver - synchronize	Data Stewardship	Incomplete	
Driver - start	Systems	Incomplete	
Data Citation - verify	Data Stewardship	Incomplete	
Website applets - update	Communications	Not Required	
Data - verify	Data Team	Incomplete	
Data Products - verify	Data Team	Incomplete	
Primary Sensors - map	Data Team	Incomplete	
Calibrations - verify	Data Team	Incomplete	
Data Preview - configure	Data Team	Incomplete	
Data Preview - verify	Data Team	Incomplete	
Commissioning Flag - terminate	Data Team	Incomplete	

Phase Editor

Phase Name: Serial Device Commissioning

Phase Id: 361

Version: 2020-04-14T15:31:57

	Order	Task Id	Task Name
☐		65	Driver - synchronize
☐		38	Driver - start
☐		39	Data Stream - verify
☐		290	Data Citation - verify
☐		47	Commissioning Flag - add
☐		66	Website applets - update
☐		45	Data - verify
☐		46	Data Products - verify

Remove Task Add Task


New Version Save Delete Cancel

01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
11-May-2020 00:09:16	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins
01-May-2020 16:49:19	Reyna Jenkins

Benefits of PIDs for Datasets

★ Using PIDS makes finding and citing data EASY

Compare with our previous approach to data citation...



THEN

"Should publications include the option of a data **citation**, please consult the metadata information provided for the exact citation(s) associated with the data received from Ocean Networks Canada. An **example** citation might read:
Ocean Networks Canada Data Archive, <http://www.oceannetworks.ca>, bottom pressure data from Clayoquot Slope from 25 January 2010 to 25 May 2010, University of Victoria, Canada. Data downloaded on 17 June 2013."



NOW

<https://doi.org/10.34943/a53cf191-6916-4d8d-8c6e-f56244016a40>



ONC Landing Page - Fixed Position Device

Ocean Networks Canada

Oceans 2.0

Dataset Landing Page

Logged in as **Melissa Cuthill** | [Profile](#) | [Help](#) | [Logout](#)

[Data Preview](#) | [Data Search](#) | [Plotting Utility](#) | [SeaTube](#) | [Digital Fishers](#) | [Cameras](#) | [More](#) | [Admin](#)

[Request Support](#) | [Report a Problem](#)

10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9

ABOUT

DataCite Metadata

Title
Discovery Passage Hydrophone Deployed 2020-07-15

DOI
10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9

Abstract
The Ocean Sonics icListen AF Hydrophone 2523 was deployed on 2020-07-15 at Discovery Passage. Discovery Passage is a channel that is part of Inside Passage. It is located between Vancouver Island and the Discovery Islands and north of the Georgia Strait. This device is a Hydrophone. Hydrophones are devices containing transducers that convert underwater sound waves into electrical signals. They are acoustic instruments that can process data while they are being collected to produce calibrated waveform data. Hydrophones are typically used to study vocalizations of marine mammals, ship traffic and ambient noise. It was deployed on a fixed platform. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

Creators
Organizational [Ocean Networks Canada Society](#)

Date Created
2020-07-31

Funding References

Funding Reference	No funder
-------------------	-----------

Publisher
[Ocean Networks Canada Society](#)

Citation

DOI Citation
Ocean Networks Canada Society. 2020. Discovery Passage Hydrophone Deployed 2020-07-15. Ocean Networks Canada Society. <https://doi.org/10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9>.

Data Links

[Download data using Data Search](#)
[View device details for Ocean Sonics icListen AF Hydrophone 2523](#)
[Download latest ISO 19115 XML metadata](#)

Version History

DOI	Reason	↓ Date Created
10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9		2020-08-10 22:40:22.339

1 of 1

17

IN JORNS IDR

ONC Landing Page - Fixed Position Device

 10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9 [ABOUT](#) 

DataCite Metadata

Title

Discovery Passage Hydrophone Deployed 2020-07-15

DOI

10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9

Abstract

The Ocean Sonics icListen AF Hydrophone 2523 was deployed on 2020-07-15 at Discovery Passage. Discovery Passage is a channel that is part of Inside Passage. It is located between Vancouver Island and the Discovery Islands and north of the Georgia Strait. This device is a Hydrophone. Hydrophones are devices containing transducers that convert underwater sound waves into electrical signals. They are acoustic instruments that can process data while they are being collected to produce calibrated waveform data. Hydrophones are typically used to study vocalizations of marine mammals, ship traffic and ambient noise. It was deployed on a fixed platform. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

ONC Landing Page - Fixed Position Device

 10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9

ABOUT 

Creators

Organizational

[Ocean Networks Canada Society](#)

Date Created

2020-07-31

Funding References

Funding Reference

No funder

Publisher

[Ocean Networks Canada Society](#)

Publication Year

2020

ONC Landing Page - Fixed Position Device

ABOUT 

Resource Type

One Deployment

Rights

Please refer to our data policy page <http://www.oceannetworks.ca/data-tools/data-help/data-usage-policy>

Formats

acc txt mat mp3 pdf qaqc csv flac png json wav an

Geolocations

geoLocationPoint	(50.020767, -125.23535)
------------------	-------------------------

Contributors

Distributor	Ocean Networks Canada Society
DataManager	Ocean Networks Canada Society

ONC Landing Page - Fixed Position Device

 10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9 [ABOUT](#) 

Citation

DOI Citation

Ocean Networks Canada Society. 2020. Discovery Passage Hydrophone Deployed 2020-07-15. Ocean Networks Canada Society. <https://doi.org/10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9>.

Data Links

[Download data using Data Search](#)
[View device details for Ocean Sonics icListen AF Hydrophone 2523](#)
[Download latest ISO 19115 XML metadata](#)

Version History

DOI	Reason	↓ Date Created
10.34943/2d4edb3d...		2020-08-10 22:40:22.339

DataCite Metadata Record

← → ↺ 🏠

🔒 <https://doi.datacite.org/doi/10.34943%2F2d4edb3d-f8f5-4f96-a212-b418e1bf70e9> ... 🛡️ ☆

⬇️ 📄 📄 📄 📄

DataCite Fabrica

Support ONCS.ONC

Ocean Networks Canada Society / DOIs

10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9

📄 Update DOI (Form)

📄 Update DOI (File Upload)

Findable

Metadata Export

[DataCite XML](#)

[DataCite JSON](#)

[Schema.org JSON-LD](#)

[BibTeX](#)

DOI created

August 10, 2020, 22:40:23 UTC

DOI registered

August 10, 2020, 22:40:24 UTC

DOI last updated

August 10, 2020, 22:40:24 UTC

Schema ⓘ

[DataCite Metadata Schema 4](#)

URL

<https://data.oceannetworks.ca/DatasetLandingPage?doidataset=10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9>

Metadata

Summary View

Discovery Passage Hydrophone Deployed 2020-07-15 Dataset

Ocean Networks Canada Society

One Deployment published 2020 via Ocean Networks Canada Society

The Ocean Sonics icListen AF Hydrophone 2523 was deployed on 2020-07-15 at Discovery Passage. Discovery Passage is a channel that is part of Inside Passage. It is located between Vancouver Island and the Discovery Islands and north of the Georgia Strait. This device is a Hydrophone. Hydrophones are devices containing transducers that convert underwater sound waves into electrical signals. They are acoustic instruments that can process data while they are being collected to produce calibrated waveform data. Hydrophones are typically used to study vocalizations of marine mammals, ship traffic and ambient noise. It was deployed on a fixed platform. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

🔗 <https://doi.org/10.34943/2d4edb3d-f8f5-4f96-a212-b418e1bf70e9>

Citation

APA

Ocean Networks Canada Society. (2020). *Discovery Passage Hydrophone Deployed 2020-07-15* [Data set]. Ocean Networks Canada Society. <https://doi.org/10.34943/2D4EDB3D-F8F5-4F96-A212-B418E1BF70E9>

22

WORLD LEADING DISCOVERIES AT A CRITICAL TIME

OCEAN
NETWORKS
CANADA

Challenges: diverse cases

Supporting the DataCite metadata kernel and ISO 19115 requirements, especially for automatically generated records, took some tweaking of ONC's existing metadata practices - what we stored, where, and how.

- Geospatial metadata: fixed, mobile, and remote sensing instruments
- Data Attributions: data agreement partners with shared responsibility for instruments and their data products
 - including Party Identifiers: ORCID and ROR
- Data Subsets: how to ensure reproducibility by supporting re-creation of previously downloaded subsets of datasets
- API integration: DOIs and Query PIDs, citations, full metadata records
- Versioning: how to display the provenance of evolving datasets

Geospatial case: Mobile Device - *Ferry Thermosalinograph*

- Geographic extent metadata needed for DataCite and ISO 19115
- For mobile devices, **geolocations** field defines a “**bounding box**” instead of a fixed point

ABOUT

Formats
mat txt pdf qaqc csv png json

Geolocations

North Bounding Latitude	49.13045
South Bounding Latitude	48.690001
East Bounding Longitude	-123.082609
West Bounding Longitude	-123.511584

Contributors


Distributor	Ocean Networks Canada Society
DataManager	Ocean Networks Canada Society



Geospatial case: Remote Sensing Device - Oceanographic RADAR

Geographic Extent Metadata

- needed for DataCite and ISO 19115 metadata fields
- existing metadata at ONC only captured **physical location** of instrument, not necessarily representing the **geographic coverage** of dataset
- implemented geographic extent metadata framework (data model, user interface, service integration) for **remote sensing instruments**
- developing procedures for calculating and populating geographic extent for these instruments (e.g., radars, acoustic instruments) – initially manual, but goal is to automate the algorithms based on data acquisition configuration parameters



Responsible Parties - RORs in DataCite

- Support for ROR introduced in *DataCite Metadata Kernel 4.3* (August 2019)
- usable as `nameIdentifier` or `affiliationIdentifier`
- new Affiliation subproperties (formerly free text) for `Creator` and `Contributor`:
 - `affiliationIdentifier`
 - `affiliationIdentifierScheme`
 - `schemeURI`
- `FundingReference` property:
 - ROR added as option for `funderIdentifier` subproperty 'schemeURI'
- Publisher still doesn't support affiliation...yet

Table 3: Expanded DataCite Mandatory Properties

ID	DataCite-Property	Occ	Definition	Allowed values, examples, other constraints
2	Creator	1-n	The main researchers involved in producing the data, or the authors of the publication, in priority order. To supply multiple creators, repeat this property.	May be a corporate/institutional or personal name. Note: DataCite infrastructure supports up to 8000-10000 names. For name lists above that size, consider attribution via linking to the related metadata.
2.4	<code>nameIdentifier</code>	0-n	Uniquely identifies an individual or legal entity, according to various schemas.	The format is dependent upon schema.
2.4.a	<code>nameIdentifierScheme</code>	1	The name of the name identifier schema.	If <code>nameIdentifier</code> is used, <code>nameIdentifierScheme</code> is mandatory. Examples: ORCID ¹³ , ISNI ¹⁴ , ROR ¹⁵ , GRID ¹⁶ .
2.4.b	<code>schemeURI</code>	0-1	The URI of the name identifier schema.	Examples: http://www.isni.org/ https://orcid.org https://ror.org/ https://www.grid.ac/
2.5	<code>affiliation</code>	0-n	The organizational or institutional affiliation of the creator.	Free text. The creator's <code>nameType</code> may be <i>Organizational</i> or <i>Personal</i> . In case of an organizational creator, e.g. a research group, you can add here the name of the formal institution to which the creator belongs.
2.5.a	<code>affiliationIdentifier</code>	0-1	Uniquely identifies the organizational affiliation of the creator.	The format is dependent upon schema. Examples : https://ror.org/04aj4c181 grid.461819.3
2.5.b	<code>affiliationIdentifierScheme</code>	1	The name of the affiliation identifier schema.	If <code>affiliationIdentifier</code> is used, <code>affiliationIdentifierScheme</code> is mandatory. Examples : ROR, GRID
2.5.c	<code>SchemeURI</code>	1	The URI of the affiliation identifier schema	Examples : http://www.isni.org http://orcid.org https://ror.org/ https://www.grid.ac/

Data Partner Attributions: RORs in action

- Integrated into Oceans 2.0 data model & UI, DataCite metadata, & Landing Page

Ocean Networks Canada Dataset Landing Page
Oceans 2.0

Data Preview | Data Search | Plotting Utility | SeaTube | Digital Fishers | Cameras | More | Admin

10.34943/5218ac5d-028c-47b8-a381-59979cdc1954 ABOUT

DataCite Metadata

Title
Gascoyne Inlet Conductivity Temperature Depth Deployed 2019-08-19


DOI
10.34943/5218ac5d-028c-47b8-a381-59979cdc1954

Abstract
The AML CTD Metrec X 50233 was deployed on 2019-08-19 at Gascoyne Inlet. Gascoyne Inlet is an inlet within Nunavut, on the southwestern tip of Devon Island, and is nearby to Cape Ricketts, Caswall Tower and Cape Liddon. This device is a Conductivity Temperature Depth. Conductivity Temperature Depth (CTD) is an instrument package that contains sensors for measuring the conductivity, temperature, and pressure of seawater. Salinity, sound velocity, depth and density are variables that can be derived from sensor measurements. CTDs can carry additional instruments and sensors such as oxygen sensors, turbidity sensors and fluorometers. It was deployed platform. Data from this deployment were archived and made available through Ocean Network Canada digital infrastructure, with quality assurance and derived data products following established practices.

Creators

Organizational	Defence Research and Development Canada (DRDC)
Organizational	Ocean Networks Canada Society

Date Created
2020-03-10



ROR Search Registry... ABOUT SCOPE

<https://ror.org/00hgy8d33>

Defence Research and Development Canada
DRDC, RDDC, RECHERCHE & DÉVELOPPEMENT POUR LA DÉFENSE CANADA

WEBSITE
<http://www.drdc-rddc.gc.ca/en/index.page>

OTHER IDENTIFIERS
GRID grid.1463.0
ISNI 0000000106926582
Crossref Funder ID 501100002956
Wikidata Q1182587

CANADA GOVERNMENT

Data Subsets

What if you don't need the entire dataset?



Many subsets of data that can be extracted from a single dataset, defined by: sensor, time range, data product, file format, etc...


In these cases, **citing the DOI of the full dataset is inadequate for reproducibility.**

Recall the 14 recommendations of the *RDA Dynamic Data Citations WG Guidelines*

[Identification of Reproducible Subsets for Data Citation, Sharing and Re-Use](#) (2016):

- **R3 - Query Store Facilities:** Provide means for storing queries and the associated metadata in order to re-execute them in the future
- **R7 - Query Timestamping:** Assign a timestamp to the query based on the last update to the entire database (or the last update to the selection of data affected by the query or the query execution time)
- **R8 - Query PID:** Assign a new PID to the query if either the query is new or if the result set returned from an earlier identical query is different due to changes in the data. Otherwise, return the existing PID of the earlier query to the user.
- **R9 - Store the Query:** Store query and metadata (e.g. PID, original and normalised query, query and result set check-sum, timestamp, superset PID, data set description, and other) in the query store.

Enter the Query PID!



- Every data search (query) in Oceans 2.0 is **saved** in the database and labeled with its own **local identifier**, the '**Query PID**'
- Query PIDs can be used like a DOI in the Oceans 2.0 Landing Page Resolver to view a landing page with **additional details** specific to that search

Data Search in Oceans 2.0: *Dataset selection*

Ocean Networks Canada Data Search
Oceans 2.0

Logged in as **Melissa Cuthill** | [Profile](#) | [Help](#) | [Logout](#)

[Data Preview](#) | [Data Search](#) | [Plotting Utility](#) | [SeaTube](#) | [Digital Fishers](#) | [Cameras](#) | [More](#) | [Admin](#) | [Report a Problem](#)

Data Source Selection | [Data Product Selection](#) | [View Cart \(0 items\)](#) | [Data Search Help](#)

Data Source Selection

Sort by: [Instruments by Category](#)

- Fluorometer Turbidity
 - WET Labs ECO FLNTU 0603009 (39)
 - WET Labs ECO FLNTU 1042 (23102)
 - WET Labs ECO FLNTURTD 1087 (11102)
 - WET Labs ECO FLNTURTD 1543 (23084)
 - WET Labs ECO FLNTURTD 1828 (23317)
 - WET Labs ECO FLNTURTD 2973 (23133)
 - WET Labs ECO FLNTURTD 5029 (26699)
 - WET Labs ECO FLNTURTD 5069 (27579)
 - WET Labs ECO FLNTUS 2585 (23061)
 - WET Labs ECO FLNTUS 2586 (23062)
 - WET Labs ECO FLNTUS 3441 (23357)
 - WET Labs ECO FLNTUS 3923 (23490)
 - WET Labs ECO FLNTUS 4670 (24117)
 - Marine Technology Centre (12-Jun-2020 to 22-Jun-2020)
 - Barkley Canyon (16-May-2019 to 07-Sep-2019)**
 - WET Labs ECO FLNTUS 894 (12117)
 - WET Labs ECO FLNTUS 895 (20221)
 - WET Labs ECO FLNTUSB 060901 (63)

Fluorometer Turbidity

Device

- WET Labs ECO FLNTUS 4670 (24117) [Details](#)

Properties

- Chlorophyll
- Turbidity

Site

- Name: UpperSlope_AutonomousCTD_2019
- Latitude: 48.427373
- Longitude: -126.1743
- Depth: 395.2237 m

[Select This Data Source](#)

Reset Map

Legend +

Leaflet | Marine Geoscience Data System

Data Search in Oceans 2.0: *Subset Query Details*

Ocean Networks Canada **Data Search** Logged in as **Melissa Cuthill** | [Profile](#) | [Help](#) | [Logout](#)

OCEAN NETWORKS CANADA [Data Preview](#) [Data Search](#) [Plotting Utility](#) [SeaTube](#) [Digital Fishers](#) [Cameras](#) [More](#) [Admin](#) [Report a Problem](#)

[Data Source Selection](#) [Data Product Selection](#) [View Cart \(0 items\)](#) [Data Search Help](#)

Fluorometer Turbidity
WET Labs ECO FLNTUS 4670 (24117) [Details](#)

Date From (UTC): 20-Jun-2019 00:00:00 Custom

Date To (UTC): 21-Jun-2019 00:00:00 [Reset Time Fields](#)

13 Jun 2019 05 Sep 2019 28 Nov 2019 20 Feb 2020 14 May 2020 06 Aug 2020 29 Oct 2020

	Time Series Scalar Data	Time Series Scalar Plot	Log File	Manual Scalar QA/QC Results				
Barkley Canyon (16-May-2019 to 07-Sep-2019) 99 Annotations (Disable Pop-up Blocker to See All)	☒	☐	☐	☐	☐	☐	☐	☐
Chlorophyll (22190)	☐	☐	☐	☐	☐	☐		
Turbidity (22191)	☐	☐	☐	☐	☐	☐		

Data Product Options
Quality Control: ☒ Clean Data ☐ Raw Data
Data Gaps: ☒ Fill missing/bad data with NaNs (Not a Number) ☐ Do not fill gaps
Processing:
(Type/Period)

NOTE: Most data products have additional [Metadata](#) automatically generated and added to the Cart. [+ Add to Cart](#)

Query PID Landing Page: *Subset Query Details*

Ocean Networks Canada Dataset Landing Page
Oceans 2.0

Logged in as **Melissa Cuthill** | [Profile](#) | [Help](#) | [Logout](#)

[Data Preview](#) | [Data Search](#) | [Plotting Utility](#) | [SeaTube](#) | [Digital Fishers](#) | [Cameras](#) | [More](#) | [Admin](#) | [Request Support](#) | [Report a Problem](#)

8510415

ABOUT

DataCite Metadata



Title
Barkley Canyon Upper Slope Fluorometer Turbidity Deployed 2019-05-16

DOI
10.34943/fa04d675-3df2-4dc3-810b-cb365f7ec492

Abstract
The WET Labs ECO FLNTUS 4670 was deployed on 2019-05-16 at Barkley Canyon Upper Slope. Upper Slope is a location within Barkley Canyon, which is located on the upper continental slope. This device is a Fluorometer Turbidity. Fluorometer Turbidity instruments measure chlorophyll fluorescence and turbidity within the same volume of seawater. The instrument uses a light emitting diode (LED) to provide an excitation source. The fluoresced light is received by a detector at a particular angle from the LED source, and uses an interference filter to discriminate against scattered excitation light. Turbidity is measured at the same time, by detecting scattered light from a LED, which is positioned at the same angle as the chlorophyll fluorescence. It was deployed on a fixed platform. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

Creators

Organizational	Ocean Networks Canada Society
----------------	---

Date Created
2019-12-16

Funding References

Funding Reference	No funder
-------------------	-----------

Publisher
[Ocean Networks Canada Society](#)

Publication Year

Query Details



Data Product
[Time Series Scalar Data](#)

Query Date Created
2020-05-08T17:26:27.733Z

Query Date From
2019-06-20T00:00:00.000Z

Query Date To
2019-06-21T00:00:00.000Z

Variables
All

Format
csv

Data Product Options

Data Gaps:	Fill missing/bad data with NaNs (Not a Number)
Quality Control:	Clean Data
Processing: (Type/Period)	Average / 1 Minute

Citation


Query Citation
Ocean Networks Canada Society. 2019. Barkley Canyon Upper Slope Fluorometer Turbidity Deployed 2019-05-16. Ocean Networks Canada Society. <https://doi.org/10.34943/fa04d675-3df2-4dc3-810b-cb365f7ec492>. Subset Query: 8510415. Accessed 2020-05-08.

Citation Text and Metadata Web Services (API)

DOIs and Query PIDs can also be used with the **Oceans 2.0 API** to retrieve the data citation formatted according to the [ESIP Data Citation Guidelines for Earth Science Data, v.2](#):


DOI

<https://data.oceannetworks.ca/api/citationText?method=get&doi=10.34943/115343a9-6d88-4f6c-a88b-9a7b17ad53e0>



Query PID

<https://data.oceannetworks.ca/api/citationText?method=get&queryPid=8297994>



Versioning Data

Each batch is given a name & reason.

Batches contain:

1. Metadata Triggers
2. Data Versioning Tasks
3. DataCite DOI Updates


Example metadata triggers:

- calibration formula change
- device attribute change
- parser change

Triggers automatically identify affected datasets, or data steward can manually add datasets affected.

Versioning tasks currently supported are

- reprocessing to parse data (e.g., after formula or parser fix)
- re-postprocessing of derived data products (e.g, after algorithm fix or parameter change)
- file uploads (to fill gaps or replace faulty files)



Versioning Data

DataCite DOI updates include

- generation of new DOI that indicates it is the new version of the prior one
- update to the prior DOI xml to indicate it is now the previous version of the new one

The ONC dataset landing page is updated in the Version History section, with the resolved DOI highlighted, and versioning reasons and triggers provided.

```
<relatedIdentifiers>
```

```
<relatedIdentifier relatedIdentifierType="DOI"
relationType="IsPreviousVersionOf">10.21383/5efd1457-
db3f-45e0-9802-9e7e58edf004</relatedIdentifier>
```

```
</relatedIdentifiers>
```

```
<relatedIdentifiers>
```

```
<relatedIdentifier relatedIdentifierType="DOI"
relationType="IsNewVersionOf">10.21383/259fd2ac-
e02d-46a0-a27b-b244b1f46dcb</relatedIdentifier>
```

```
</relatedIdentifiers>
```

Version History

DOI	Reason	↓ Date Created
10.21383/5efd1457-db3f-45e0-9802-9e7e58edf004	Formula coefficient entered correctly and data needs to be reprocessed.	2020-05-10 22:34:01.414
10.21383/259fd2ac-e02d-46a0-a27b-b244b1f46dcb		2020-05-10 22:25:37.58

1-2 of 2

<https://data.oceannetworks.ca/DatasetLandingPage?doidataset=10.21383/5efd1457-db3f-45e0-9802-9e7e58edf004>


Versioning Data: *Reprocessing*

Use Case: Parsing for sensors on a device were temporarily disabled since the automated QAQC flag system was having issues. This issue was addressed, and then the data have the data reprocessed to fill the gap in our database (raw data was still accumulating, but not being parsed).

Example: WetLabs Fluorometer Turbidity instrument at Folger Pinnacle, deployed 2016-04

Original DOI: <https://data.oceannetworks.ca/DatasetLandingPage?doidataset=10.34943/bc5bf185-4b4a-4533-963f-2d98dead60ad>

WET Labs ECO FLNTUS 895 (20221) - Folger Passage (20-Apr-2016 to 06-Jul-2017) - Chlorophyll



WET Labs ECO FLNTUS 895 (20221) - Folger Passage (20-Apr-2016 to 06-Jul-2017) - Turbidity



ONC Data Stewardship & Operations Support / NEPDATA-6112

reprocessing to extract wetlabs data once DMAS-36579 sorted o

Edit Comment Assign More ready Start Progress Workflow

Details

Type: Bug
Priority: Major
Component/s: Reprocessing
Labels: None
Bill work to Customer: ONC Internal
Device Id: 20,221

Status: OPEN
Resolution: Unresolved

JIRA Ticket created for follow-up action,
assigned to Data Steward

Versioning Data: *Reprocessing*

Batch versioning interface includes support for associating **metadata triggers**, **data versioning** tasks (e.g., reprocessing), and **DataCite DOI updates**.

Batches

Status Filter

☒ Open ☒ Queued ☒ Running ☒ Cancelling ☐ Completed ☐ Cancelled ☐ Error ☐ CompletedWithError

REFRESH

Task Id	Batch Name	Host Name	Date Started	Date Completed	Status
362	Data_NEPDATA-6112				Open

1 of 1

Batch Tasks

Status Filter

☒ Open ☒ Queued ☒ Running ☒ Cancelling ☒ Completed ☒ Cancelled ☒ Error ☒ CompletedWithError

REFRESH

Task Id	Task Type	Task Definition Id	Host Name	Date Started	Date Completed	Task Info	Status
363	DOI Dataset Group						Open

Status Filter

☒ Open ☒ Queued ☒ Running ☒ Cancelling ☒ Completed ☒ Cancelled ☒ Error ☒ CompletedWithError

REFRESH

Task Id	Task Type	Task Definition Id	Host Name	Date Started	Date Completed	Task Info	Status
435	DOIRegistrationJob						Open
364	Trigger Group						Open
434	Reprocess Group						Cancelled
433	Reprocess Group						Open

Task Information

1 of 1

Versioning Data: *Reprocessing*

Reprocessing can be monitored as it progresses.

Scheduler
Status: STOPPED

Start Stop Restart Clear Queue

Task List

Order by job detail id

Only display enabled jobs

All Tasks

- Scheduled
 - Remote Resource Download
 - User Defined
 - Other
- Unscheduled
 - Reprocess
 - Search
 - Batch

Task Monitor Task Definition

Task Status

☒ Queued ☒ Running ☒ Cancelling ☐ Completed ☐ Cancelled ☐ Aborted with Errors ☐ Completed with Errors

Refresh

☐	Task Id	Status	Task Id	Host Name	Task Type	Reference Name	Date Started	Date Completed	E
☐	467	Queued	467		Reprocess	SBECTD19p7036_20170331T000000.000Z.txt			
☐	466	Queued	466		Reprocess	SBECTD19p7036_20170330T000000.000Z.txt			
☐	465	Queued	465		Reprocess	SBECTD19p7036_20170329T000000.000Z.txt			
☐	464	Queued	464		Reprocess	SBECTD19p7036_20170328T000000.000Z.txt			
☐	463	Queued	463		Reprocess	SBECTD19p7036_20170327T000000.000Z.txt			
☐	462	Queued	462		Reprocess	SBECTD19p7036_20170326T000000.000Z.txt			
☐	461	Queued	461		Reprocess	SBECTD19p7036_20170325T000000.000Z.txt			
☐	460	Queued	460		Reprocess	SBECTD19p7036_20170324T000000.000Z.txt			
☐	459	Queued	459		Reprocess	SBECTD19p7036_20170323T000000.000Z.txt			
☐	458	Queued	458		Reprocess	SBECTD19p7036_20170322T000000.000Z.txt			
☐	457	Queued	457		Reprocess	SBECTD19p7036_20170321T000000.000Z.txt			
☐	456	Queued	456		Reprocess	SBECTD19p7036_20170320T000000.000Z.txt			
☐	455	Queued	455		Reprocess	SBECTD19p7036_20170319T000000.000Z.txt			
☐	454	Running	454	dctsk06.dc.neptune	Reprocess	SBECTD19p7036_20170318T000000.000Z.txt	10-May-2020 23:45:19		


38

WORLD LEADING DISCOVERIES AT A CRITICAL TIME

OCEAN
NETWORKS
CANADA

Versioning Data: *Reprocessing*

Gap becoming filled as reprocessing progresses...



WET Labs ECO FLNTUS 895 (20221) - Folger Passage (20-Apr-2016 to 06-Jul-2017) - Turbidity

WET Labs ECO FLNTUS 895 (20221) - Folger Passage (20-Apr-2016 to 06-Jul-2017) - Turbidity (4209) - Clean - MinMax - Downsampled
WET Labs ECO FLNTUS 895 (20221) - Folger Passage (20-Apr-2016 to 06-Jul-2017) - Turbidity (4209) - Clean - Avg - Downsampled

New dataset landing page with provenance information:

<https://data.oceannetworks.ca/DatasetLandingPage?doidataset=10.34943/1d0c005a-21cd-468e-aceb-1f05f9a04d49>

Version History

DOI	Reason
10.34943/1d0c005a-21cd-468e-aceb-1f05f9a04d49	Reprocessing is being applied to extract sensor data for the turbidity and chlorophyll since the real-time parsing was temporarily disabled d
10.34943/bc5bf185-4b4a-4533-963f-2d98dead60ad	

1-2 of 2 < 1 >

User Documentation

OCEAN NETWORKS CANADA

Data Preview | Data Search | Plotting Utility | SeaTube | Digital Fishers | Cameras ▾ | More ▾

DOI or Query PID
10.34943/fa04d675-3df2-4c

LOAD


ABOUT 

DataCite Metadata

Title
Barkley Canyon Upper Slope Fluorometer Turbidity Deployed 2019-05-16

DOI
10.34943/fa04d675-3df2-4dc3-810b-cb365f7ec492

<https://wiki.oceannetworks.ca/display/DP/Data+Citations>



Created by P Thanga Vignesh
from Noun Project

Data Citations

Created by Reyna Jenkins , last modified by Chantel M Ridsdale on 06-May-20

- What is Data Citation and Why Is It Important?
 - Dynamic Data Citation
- MINTED Project Overview
 - Benefits of MINTED
 - Landing Page
 - → Landing Page Metadata Sections:
 - Query PID
 - → Query-PID Specific Metadata Sections (green box):
- Web Services
 - → Data Citation Text Service
 - → Dataset Metadata Service
- Future Plans
- Recommended Resources

Landing Page Discovery

Step 1: Data Source Selection

Sort by: Instruments by Location

- ↳ Vancouver Bay
- ↳ Discovery Passage
- ↳ East Point
- ↳ Juan de Fuca Strait
- ↳ Monarch Head
- ↳ Saanich Inlet
 - ↳ Mill Bay
 - ↳ Patricia Bay
 - ↳ 3D Camera
 - ↳ Benthic Oxygen Exchange Rate
 - ↳ Bottom Boundary Layer
 - ↳ Digital Camera Flats
 - ↳ Giraffe Digital Camera Frame
 - ↳ Hydrophone
 - ↳ Institute of Ocean Sciences
 - ↳ Microsquid Digital Camera Frame
 - ↳ Ocean Technology Test Bed
 - ↳ Saanich Inlet VENUS Instrument Platform
 - ↳ CTD A

Conductivity Temperature Depth

- ↳ 6536 (23994) Details
- ↳ Sea-Bird SeaCAT SBE19plus V2 5278 (23029) Details
- ↳ Sea-Bird SeaCAT SBE19plus V2 7792 (24122) Details
- ↳ Sea-Bird SeaCAT SBE19plus V2 6937 (23088) Details

Properties

- ↳ Conductivity
- ↳ Density
- ↳ Practical Salinity
- ↳ Pressure

Select This Data Source

Step 2: Site Device List

Site Device Id	Site Name	Date From	Has ERDDAP
1208144	VIP-31 - Saanich Inlet Central Node	2020-09-25 20:50:18	False
1208124	MTG NEPTUNE Integration Lab - Marine Technology Centre	2020-09-24 23:14:13	False
1208113	QMC Integration Testing - Marine Technology Centre	2020-09-23 23:12:49	False
1205460	MTG VENUS Integration Lab - Marine Technology Centre	2020-03-04 23:46:25	False
1201124	VIP-16 - Strait of Georgia Central Node	2018-09-30 16:40:16	False

Step 3: Site Device Entry ID: 1208144

Device ID: 23088

Site Name: VIP-31 - Saanich Inlet Central Node

Run Date: 2020-09-25

Start Time: 20:50:18

DOI Datasets

Step 4: DataCite Metadata


Title: Patricia Bay Conductivity Temperature Depth Deployed 2020-09-25

DOI: 10.34943/276343a-9286-4047-99af-dba456970d

The Sea-Bird SeaCAT SBE19plus V2 6937 was deployed on 2020-09-25 at Patricia Bay. Patricia Bay is located in the Saanich Inlet, on the southern tip of Vancouver Island. This device is a Conductivity Temperature Depth (CTD) is an instrument package that contains sensors for measuring the conductivity, temperature, and pressure of seawater. Salinity, sound velocity, depth and density are variables that can be derived from sensor measurements. CTDs can carry additional instruments and sensors such as oxygen sensors, turbidity sensors and fluorometers. It was deployed on a fixed platform. Data from this deployment were archived and made available through Ocean Network Canada's Oceans 2.0 digital infrastructure, with quality assurance and derived data products following established practices.

Organizational: Ocean Networks Canada

Data Contributor Documentation



Created by ProSymbols
from Noun Project


Data Partnerships Home

Created by Reyna Jenkyns , last modified by Chantel M Ridsdale on 18-Aug-20


- Overview
- Data Agreements
- Attributions & Credit
 - Data Citations
 - ISO 19115 Metadata Records
 - Individual Metadata Record
 - Metadata Catalog
 - Roles
 - Research Organization Registry
 - Metrics
- Contact Information

<https://wiki.oceannetworks.ca/display/DataPartners/Data+Partnerships+Home>


Metrics: DataCite Stats



PID Graph





- Courtesy of the [FREYA](#) project
- Leverages all the different types of PIDs to unambiguously cross-link research outputs



FREYA recognition



ODIN and THOR





Future Plans

schema.org



Follow-on project proposal planned to be submitted for additional features in fall 2020 - scope definition in progress...



Created by Eucalyp
from Noun Project



ISO 19115:2014

```
<relatedIdentifiers>  
  <relatedIdentifier relatedIdentifierType="URL"  
  relationType=...>
```



**OCEAN
NETWORKS
CANADA**

Questions?

reyna@uvic.ca